TYPE A

48 sq m / 517 sq ft

#02-04

#03-04


#04-04

#05-04

#06-04

#07-04





LORONG 13 GEYLANG

KEY PLAN



0 3 5

BP No.: A1888-01946-2020-BP01, dated 18 Oct 2021.

Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan.

LEGEND (WHERE APPLICABLE)

WD - Washer cum Dryer

O - Oven (Below Cooker Hob)

DB - Distribution Board

HS - Household Shelter

F - Fridge

2 Bedroom

TYPE B

74 sq m / 797 sq ft

#02-03

#03-03


#04-03

#05-03

#06-03

#07-03





LORONG 13 GEYLANG



0 3 5м

BP No. : A1888-01946-2020-BP01, dated 18 Oct 2021.

Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan.

LEGEND (WHERE APPLICABLE)

WD - Washer cum Dryer

O - Oven (Below Cooker Hob)

DB Distribution Board

HS - Household Shelter


F Fridge


Bedroom TYPE C1 105 sq m / 1130 sq ft #02-02

#03-02

#06-02

#07-02





LORONG 13 GEYLANG





BP No. : A1888-01946-2020-BP01, dated 18 Oct 2021.

Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan.

LEGEND (WHERE APPLICABLE)


WD - Washer cum Dryer

O - Oven (Below Cooker Hob)

DB - Distribution Board

HS - Household Shelter

F - Fridge




#04-02 #05-02

Bedroom DK


TYPE C2


113 sq m / 1216 sq ft #02-01 #03-01



RC LEDGE AT 2ND STOREY ONLY

VERTICAL FIN AT 2ND & 3RD STOREY ONLY





LORONG 13 GEYLANG



BP No. : A1888-01946-2020-BP01, dated 18 Oct 2021.


Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan.

LEGEND (WHERE APPLICABLE)

WD - Washer cum Dryer O - Oven (Below Cooker Hob)

DB - Distribution Board HS - Household Shelter

F - Fridge



Annexure A

Approved Balcony Screen

OPERABLE SCREEN FOR BALCONY

- 1. The Balcony shall not be enclosed. Only approved balcony screen are to be used. For illustration of the approved balcony screen, please refer to illustration below.
- 2. Screen design is provided for aesthetic uniformity of the estate.
- 3. The owner is required to refer to the Management Corporation when formed for any additional details and/or installation.
- 4. Fixing detail by contractor, and fixing shall not damage waterproofing or existing structure.
- 5. Material shall be of aluminium with powder coated finish to match the colour of aluminium door/window frame.
- 6. Porosity and design of balcony screen shall allow natural ventilation at all times and is capable of being fully drawn open/closed.
- 7. Spacing of louvre to be uniform and total free opening shall not be less than 50% of the panel.
- 8. This drawing is for reference only. Owner shall verify all dimensions prior to commencement of work.
- 9. Drawing not to scale.

